

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

Claims 1.-59. (cancelled).

60. (Currently Amended) An electrographic position location apparatus comprising:

- (a) a platform comprising a surface;
- (b) a print medium including a print element, wherein the print medium is capable of being received on the platform;
- (c) a plurality of electrical elements in the platform and under the surface;
- (d) a microprocessor coupled to the plurality of electrical elements;
- (e) a memory device coupled to the microprocessor, wherein the memory device comprises code for recording a user's voice, code for storing the user's recorded voice, and code for playing back the user's voice;
- (f) an audio output device coupled to the microprocessor; and
- (g) a microphone structure fixedly coupled to the platform, wherein the microphone structure comprises a head portion and a neck..

61. (Currently Amended) An electrographic position location apparatus comprising:

- (a) a platform comprising a surface;
- (b) a print medium including a print element, wherein the print medium is capable of being received on the platform;
- (c) a plurality of electrical elements in the platform and under the surface;
- (d) a microprocessor coupled to the plurality of electrical elements;

(e) a memory device coupled to the microprocessor, wherein the memory device comprises code for recording a user's voice, code for storing the user's recorded voice, and code for playing back the user's voice;

(f) an audio output device coupled to the microprocessor; and

(g) a microphone structure coupled to the platform, wherein the microphone structure comprises a head portion and a neck. ~~The electrographic position location apparatus of claim 60~~ wherein the microphone structure is a dummy microphone structure and wherein the apparatus further comprises a microphone in the platform.

62. (Original) The electrographic position location apparatus of claim 60 wherein the platform further comprises a recess for receiving the microphone structure.

63. (Original) The electrographic position location apparatus of claim 60 wherein the print medium comprises a record print element and a playback print element.

64. (Original) The electrographic position location apparatus of claim 60 wherein the platform is foldable.

65. (Original) The electrographic position location apparatus of claim 60 wherein the print medium comprises print elements for a game or for a story.

66. (Original) The electrographic position location apparatus of claim 60 wherein the microphone structure comprises an LED.

67. (Currently Amended) A toy comprising:

(a) a housing having a display screen;

(b) a plurality of electrical elements in the housing and under the display screen;

(c) ~~(d)~~ a microprocessor coupled to the plurality of electrical elements;

(d) ~~(e)~~ a memory device coupled to the microprocessor, wherein the memory device comprises code for recording a user's voice, code for storing the user's recorded voice,

code for playing back the user's voice, and code for generating one or more images on the display screen;

(e) ~~(f)~~ an audio output device coupled to the microprocessor; and

(f) ~~(g)~~ a microphone structure fixedly coupled to the housing, wherein the microphone structure comprises a head portion and a neck.

6867. (Currently Amended) A toy comprising:

(a) a housing having a display screen;

(b) a plurality of electrical elements in the housing and under the display screen;

(c) a microprocessor coupled to the plurality of electrical elements;

(d) a memory device coupled to the microprocessor, wherein the memory device comprises code for recording a user's voice, code for storing the user's recorded voice, code for playing back the user's voice, and code for generating one or more images on the display screen;

(e) an audio output device coupled to the microprocessor; and

(f) a microphone structure fixedly coupled to the housing, wherein the microphone structure comprises a head portion and a neck, The toy of claim 67 wherein the microphone structure is a dummy microphone structure and wherein the toy further comprises a microphone in the platform.

69. (Original) The toy of claim 67 wherein the memory device comprises audio generating code capable of recording a user's voice and coordinating playback of the recorded voice with the displayed images.

7068. (Currently Amended) The toy of claim 67 wherein the microphone structure comprises an LED.